



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : beko Bitu-Dicht

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

beko GmbH  
Rappenfeldstrasse 5  
DE-86653 Monheim  
T +49 (0)90 91/9 08 98-0 - F +49 (0)90 91/9 08 98-29  
[info@beko-group.com](mailto:info@beko-group.com) - [www.beko-group.com](http://www.beko-group.com)

### 1.4. Emergency telephone number

Poison Control Center Mainz - 24 hour emergency service – phone: +49 (0) 6131/19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

CLP Signal word

: Warning

Hazardous ingredients

: Solvent naphtha (petroleum), light aromatic

Hazard statements (CLP)

: H226 - Flammable liquid and vapour  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP)

: P102 - Keep out of reach of children  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P223 - Do not allow contact with water  
P241 - Use explosion-proof ventilating, electrical, lighting equipment  
P273 - Avoid release to the environment  
P280 - Wear protective gloves

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# beko Bitu-Dicht

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Solvent naphtha (petroleum), light aromatic (Note P)	(CAS No) 64742-95-6 (EC no) 265-199-0 (REACH-no) 01-2119455851-35	<12	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If medical advice is needed, have product container or label at hand.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation persists, take medical advice.
- First-aid measures after eye contact : If eye irritation persists, consult a specialist. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Do not induce vomiting. Seek medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : If you feel unwell, seek medical advice.
- Symptoms/injuries after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). May cause drowsiness or dizziness. May cause headache and dizziness.
- Symptoms/injuries after skin contact : Remove/Take off immediately all contaminated clothing. Repeated exposure may cause skin dryness or cracking.
- Symptoms/injuries after eye contact : Irritating to eyes.
- Symptoms/injuries after ingestion : Swallowing of this material presents health hazard. Harmful: may cause lung damage if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide (CO2). Powder. Water spray. Foam.
- Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Heating may cause a fire or explosion.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

- Precautionary measures fire : Evacuate area.
- Firefighting instructions : Remove all sources of ignition. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Exercise caution when fighting any chemical fire. Do not allow run-off from firefighting to enter drains or water courses.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Wear self-contained breathing apparatus and protective suit (see section 8).
- Other information : Cool down the containers exposed to heat with a water spray.

# beko Bitu-Dicht

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. No naked flames, sparks, and do not smoke.
- 6.1.1. For non-emergency personnel
- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid contact with skin, eyes and clothing. Notify police and fire brigade as soon as possible.
- 6.1.2. For emergency responders
- Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Collect spillage.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
- Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Use only outdoors or in a well-ventilated area. Eliminate all ignition sources if safe to do so. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Take precautionary measures against static discharge.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Use explosion-proof equipment. Take precautionary measures against static discharge.
- Storage conditions : Keep cool. Store in a well-ventilated place. Store in a closed container.
- Storage area : Store away from direct sunlight or other heat sources.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Solvent naphtha (petroleum), light aromatic (64742-95-6)		
EU	IOELV TWA (mg/m³)	100 mg/m³
EU	IOELV TWA (ppm)	19 ppm

#### 8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Personal protective equipment : Safety glasses.
- Hand protection:

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)				

Eye protection:  
Safety glasses. Face shield



- Environmental exposure controls : Avoid release to the environment.
- Other information : Do not eat, drink or smoke during use.

# beko Bitu-Dicht

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: Black.
Odour	: aromatic.
Flash point	: 55 °C
Density	: 1,32 g/cm³
Solubility	: Water: Insoluble

#### 9.2. Other information

VOC content	: 148 g/l
-------------	-----------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Heating may cause a fire or explosion.

#### 10.2. Chemical stability

Flammable liquid.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

All heat sources, including direct sunlight. No flames, no sparks. Eliminate all sources of ignition. Avoid shock and friction.

#### 10.5. Incompatible materials

Oxidizing agent. acids and bases.

#### 10.6. Hazardous decomposition products

No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
----------------	------------------

##### Solvent naphtha (petroleum), light aromatic (64742-95-6)

LD50 oral rat	3592 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 inhalation rat (mg/l)	> 6193 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: May cause long lasting harmful effects to aquatic life.
-------------------	---

##### Solvent naphtha (petroleum), light aromatic (64742-95-6)

LC50 fish 1	9,2 mg/kg
EC50 Daphnia 1	3,2 mg/l
ErC50 (algae)	1 mg/l

#### 12.2. Persistence and degradability

##### Solvent naphtha (petroleum), light aromatic (64742-95-6)

Biodegradation	78 % 28 days
----------------	--------------

# beko Bitu-Dicht

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

#### Solvent naphtha (petroleum), light aromatic (64742-95-6)

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Bitu-Dicht

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Solvent naphtha (petroleum), light aromatic (64742-95-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--	---

### 12.6. Other adverse effects

Other adverse effects : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste disposal recommendations	: Discharging into rivers and drains is forbidden.
Additional information	: Flammable vapours may accumulate in the container. Clean up even minor leaks or spills if possible without unnecessary risk.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

## SECTION 14: Transport information

In accordance with ADR

### ADR

#### 14.1. UN number

1999

#### 14.2. UN proper shipping name

TARS, LIQUID

#### Transport document description

UN 1999 TARS, LIQUID, 3, III, (D/E)

#### 14.3. Transport hazard class(es)

3



#### 14.4. Packing group

III

#### 14.5. Environmental hazards

Dangerous for the environment : No

No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 640E
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP3

# beko Bitu-Dicht

## Safety Data Sheet

according to Regulation (EU) 2015/830

Tank code (ADR) : LGBF  
Vehicle for tank carriage : FL  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Operation (ADR) : S2  
Hazard identification number (Kemler No.) : 30  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : 2WE  
APP code : A(fl)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

VOC content : 148 g/l

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
Flam. Liq. 3	H226	On basis of test data
Aquatic Chronic 3	H412	Calculation method

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*