


# LIBRA CH



### APPLICATION

LIBRA CH to be cut on size flushing with both top and bottom panels.



recommended fixing pan head wood screws  $\varnothing 4 \times 20$  mm min.


It is the responsibility of the customer:  
- to ensure that the wall is of a suitable quality to hold the unit fixing in place.  
- to use the proper hardware fittings according to the construction of the wall.

For more specific information, please refer to the WARNINGS section at the end of the catalogue.

### ADJUSTMENTS

Slots for cross PZ2 screwdriver

1 - VERTICAL ADJUSTMENT LIBRA H1-H2-H3-H6-H7 - 13 mm




Vertical adjustment to be carried out through both side hangers.

LIBRA CH consequently follows the vertical adjustment carried out through the side hangers.


2 IN-DEPTH ADJUSTMENT 12 mm

3 ANTI-TURNOVER LOCKING


Stop screwing the red bolt when it touches the wall plate




LIBRA H1-H2-H3-H6-H7




LIBRA CH



LIBRA H1-H2-H3-H6-H7




LIBRA CH




The present groove has to match the groove required by the cabinet hanger used.


Drilling plan for the matching with LIBRA H1




Drilling plan for the matching with LIBRA H2



Drilling plan for the matching with LIBRA H3




Drilling plan for the matching with LIBRA H6 - H7



## LIBRA CH WITH BOTH UPPER AND LOWER END ELEMENTS PRE-MOUNTED

READY FOR INSTALLATION



L = Total CH including both upper and lower elements.



	= PZ2		= 25 pcs.
ZA	ST	AL	
	64 Y XXXX 200	NOTE: for technical details about wall plates and cover caps please refer to the related sections "LIBRA WALL PLATES" on page 12.65 and "LIBRA COVER CAPS" on page 12.68.	

**64 Y XXXX 200**


L2 = "0" milling for LIBRA H6 - H7.  
L2 = "1" milling for LIBRA H1, H2, H3.

## LIBRA CH FIXING ACCESSORY

12




			+
ST			= on request
60103270ZN	20	16	
60103280ZN	25	18 min.	



## LIBRA CH WITH UPPER END ELEMENT PRE-MOUNTED (SEPARATE LOWER END ELEMENT)

TO BE CUT BY THE CUSTOMER




	= PZ2		= 25 pcs.
ZA	ST	AL	
	64 Y XXXX 100		NOTE: for technical details about wall plates and cover caps please refer to the related sections "LIBRA WALL PLATES" on page 12.65 and "LIBRA COVER CAPS" on page 12.68.

**64 Y XXXX 100**

L3


L2 = "0" milling for LIBRA H6 - H7.  
L2 = "1" milling for LIBRA H1, H2, H3.

## LOWER END ELEMENT



ZA		= on request
	64300000Z	

## FIXING ACCESSORY FOR LOWER END ELEMENT PART.NO 64300000Z



			= PZ2		+
ST		= on request			
	60203610Z				