



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Jokisch Monos Miko S3G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cutting oil

1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	
Responsible Department:	Environmental Department	

1.4. Emergency telephone number:

Emergency telephone number (24h) + 44 1235 239670 (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Additional advice on labelling

No marking required according to 1999/45/EC, appendix V B, No. 9.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

High slip hazard because of leaking or spilled product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

none (according to Regulation (EC) No 1907/2006 (REACH))

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 2 of 11

General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider:
Pay attention to self-protection!
Symptoms can occur only after several hours.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO₂).

Carbon monoxide

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

For non-emergency personnel

Special danger of slipping by leaking/spilling product.

For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

6.3. Methods and material for containment and cleaning up



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 3 of 11

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Clean contaminated articles and floor according to the environmental legislation.
Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist
Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.
Maximum period of storage (time): 1

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.
Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
111-42-2	Diethanolamine (Inhalable Fraction and Vapour)	0.2	1		TWA (8 h)	
107-41-5	Hexylene glycol	25	125		STEL (15 min)	
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 4 of 11

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
57-55-6	1,2-propylene glycol (1,2-propanediol)			
Worker DNEL, long-term		inhalation	systemic	168 mg/m ³
Consumer DNEL, long-term		oral	systemic	85 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	213 mg/kg bw/day
Worker DNEL, long-term		inhalation	local	10 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	50 mg/m ³
102-71-6	Triethanolamin			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, long-term		dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	0,4 mg/m ³
Consumer DNEL, long-term		dermal	local	2,66 mg/person/day
Consumer DNEL, long-term		oral	systemic	3,3 mg/kg bw/day
107-41-5	2-methylpentane-2,4-diol			
Worker DNEL, long-term		inhalation	systemic	44,43 mg/m ³
Worker DNEL, long-term		inhalation	local	49 mg/m ³
Worker DNEL, long-term		dermal	systemic	63 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	7,83 mg/m ³
Consumer DNEL, long-term		inhalation	local	25 mg/m ³
Consumer DNEL, acute		inhalation	systemic	49 mg/m ³
Consumer DNEL, long-term		dermal	systemic	22,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,25 mg/kg bw/day
141-43-5	2-aminoethanol; ethanolamine			
Worker DNEL, long-term		inhalation	systemic	1 mg/m ³
Worker DNEL, long-term		inhalation	local	0,51 mg/m ³
Worker DNEL, long-term		dermal	systemic	3 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,28 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
111-42-2	2,2'-iminodiethanol; diethanolamine			
Worker DNEL, long-term		inhalation	systemic	0,75 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	0,125 mg/m ³
Worker DNEL, long-term		inhalation	local	0,5 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,125 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,130 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,07 mg/kg bw/day

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 5 of 11

Consumer DNEL, long-term	oral	systemic	0,06 mg/kg bw/day
--------------------------	------	----------	----------------------

PNEC values

CAS No	Substance	Value
Environmental compartment		
57-55-6	1,2-propylene glycol (1,2-propanediol)	
Freshwater		260 mg/l
Marine water		26 mg/l
Freshwater sediment		572 mg/kg
Marine sediment		57,2 mg/kg
Soil		50 mg/kg
102-71-6	Triethanolamin	
Freshwater		0,32 mg/l
Marine water		0,32 mg/l
Freshwater sediment		1,7 mg/kg
Marine sediment		0,17 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,151 mg/kg
107-41-5	2-methylpentane-2,4-diol	
Freshwater		0,429 mg/l
Marine water		0,043 mg/l
Freshwater sediment		1,59 mg/kg
Marine sediment		0,159 mg/kg
Micro-organisms in sewage treatment plants (STP)		20 mg/l
Soil		0,066 mg/kg
141-43-5	2-aminoethanol; ethanolamine	
Freshwater		0,07 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,375 mg/kg
Marine sediment		0,036 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		1,29 mg/kg
111-42-2	2,2'-iminodiethanol; diethanolamine	
Freshwater		0,021 mg/l
Marine water		0,002 mg/l
Freshwater sediment		0,092 mg/kg
Marine sediment		0,0092 mg/kg
Soil		1,63 mg/kg

Additional advice on limit values

Exposure limit values: no restriction.

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 6 of 11



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	light yellow
Odour:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	>180 °C DIN ISO 2592
Auto-ignition temperature:	not determined
pH-Value (at 20 °C):	8,5
Viscosity / kinematic: (at 40 °C)	8,4 mm ² /s DIN 51562
Vapour pressure:	not determined
Density (at 20 °C):	1,01 g/cm ³ EN ISO 12185

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 7 of 11

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Data apply to the main component.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Irritant effect on the eye: none

Irritant effect on the skin: none

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

The statement is derived from the properties of the components.

12.2. Persistence and degradability

Product is not easily biodegradable.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

in delivery condition: liquid



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 8 of 11

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Non-contaminated packages may be recycled.

List of Wastes Code - residues/unused products

130899 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); oil wastes not otherwise specified; wastes not otherwise specified; hazardous waste

List of Wastes Code - contaminated packaging

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	-

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	-

14.5. Environmental hazards

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 9 of 11

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: < 1,0 %

Directive 2004/42/EC on VOC in paints and varnishes: < 1,0%

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,6,7,11,12,13,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 10 of 11

Abbreviations and acronyms

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

Repr. - Reproduktionstoxizität

Asp. Tox. - Aspirationstoxizität

Acute Tox. - Akute Toxizität

Aquatic Acute - Akute aquatische Toxizität

Aquatic Chronic - Chronische aquatische Toxizität

Eye Dam. - Augenschaden/-reizung

Eye Irrit. - Augenreizung

Skin Corr. - Ätzwirkung auf die Haut

Skin Irrit. - Hautreizung

Skin Sens. - Hautallergen

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Miko S3G

Revision date: 01.01.2024

Product code: 293

Page 11 of 11

Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)