

Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- Trade name: STALOC Spezial-Kalklöser 1L
- · Article number: 110600027
- **UFI:** CRF4-90E0-400R-T7FU
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Stankovsky Industrieprodukte Handels GmbH Flachenauergutstraße 8 4020 Linz AUSTRIA Tel.: +43 732 221877 e-Mail: office@staloc.com www.staloc.com

* Further information obtainable from: Product safety department

1.4 Emergency telephone number: Vergiftungsinformationszentrale (VIZ) Notruf 0–24 Uhr: +43 1 406 43 43

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Met. Corr.1H290 May be corrosive to metals.Skin Corr. 1BH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms**



Signal word Danger

Hazard-determining components of labelling:

Isotridecaanol, 3-5 EO hydrogen chloride

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eve protection/face protection



Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

Trade name: STALOC Spezial-Kalklöser 1L

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

2.3 Other hazards

P310

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

Dungerous components.					
Isotridecaanol, 3-5 EO	≥3-≤10%				
📀 Eye Dam. 1, H318; 🕦 Acute Tox. 4, H302					
hydrogen chloride	≥3-<10%				
🔗 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; 🔿 STOT SE 3,					
H335					
Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %					
Skin Irrit. 2; H315: 10 % ≤ C < 25 %					
Eye Irrit. 2; H319: 10 % ≤ C < 25 %					
STOT SE 3; H335: C ≥ 10 %					
alkyl(C=12-18) benzyl dimethyl ammonium chloride	≥0.025-<0.25%				
Skin Corr. 1B, H314; () Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302					
	Isotridecaanol, 3-5 EO				

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- "General information: Immediately remove any clothing soiled by the product.
- * After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- * After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

* After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- [•] 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.



Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

(Contd. of page 2)

Trade name: STALOC Spezial-Kalklöser 1L

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities Storage:
- [•] Requirements to be met by storerooms and receptacles: No special requirements.
- [•] Information about storage in one common storage facility: Not required.
- * Further information about storage conditions: Keep container tightly sealed.
- . 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection: Not required.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

Trade name: STALOC Spezial-Kalklöser 1L

(Contd. of page 3)

Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
General Information		
Physical state	Fluid	
Colour:	Violet	
Odour:	Fruit-like	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling		
range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
°pH at 20 °C	~1	
Viscosity:		
Kinematic viscosity	Not determined.	
[·] Dynamic:	Not determined.	
Solubility		
water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	1.04 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Liquid	
Important information on protection of healt		
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not senginiting. Product does not present an explosion hazard.	
Solvent content:	rioduct does not present an explosion nazard.	
Organic solvents:	0.1 %	
Change in condition	0.1 /0	
Evaporation rate	Not determined.	
	(Contd. on page 5)	

(Contd. on page 5)



Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

Trade name: STALOC Spezial-Kalklöser 1L

	(Cont	td. of page
Information with regard to physical ha	azard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
[•] Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	May be corrosive to metals.	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

- * Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- * 10.3 Possibility of hazardous reactions No dangerous reactions known.
- * 10.4 Conditions to avoid No further relevant information available.
- * 10.5 Incompatible materials: No further relevant information available.
- * 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
7647-01-0 hydrogen chloride		
Oral LD50 900 mg/kg (rabbit)		
68391-01-5 alkyl(C=12-18) benzyl dimethyl ammonium chloride		
Oral LD50 650 mg/kg (rat)		

* Skin corrosion/irritation Causes severe skin burns and eye damage.

• Serious eye damage/irritation Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.

* Carcinogenicity Based on available data, the classification criteria are not met.

* Reproductive toxicity Based on available data, the classification criteria are not met.

- * STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.



Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

(Contd. of page 5)

Trade name: STALOC Spezial-Kalklöser 1L

* Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- * 12.2 Persistence and degradability No further relevant information available.
- * **12.3** *Bioaccumulative potential* No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- . 12.6 Endocrine disrupting properties. The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

* Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

<i>14.1 UN number or ID number</i> ADR, IMDG, IATA	UN3264	
14.2 UN proper shipping name		
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
AND REAL PROPERTY OF AND REAL		
Class	8 Corrosive substances.	
Label	8	
	(Contd. on page 7)	



Printing date 25.09.2024

Version number 1

Revision: 25.09.2024

Trade name: STALOC Spezial-Kalklöser 1L

	(Contd. of page
14.4 Packing group ADR, IMDG, IATA	
	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
14.7 Maritime transport in bulk according to IN	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	51
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
·IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



Printing date 25.09.2024

Version number 1

Revision: 25 09 2024

(Contd. of page 7)

Trade name: STALOC Spezial-Kalklöser 1L

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Product safety department

Contact: Hr Stankovsky

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1